Spare parts for:

Cooking equipment

Suitable for:

DESCO

This catalogue is automatically generated.
Therefore, the sequence of the items might not be always shown at best.
Updates will be issued in case of additions and/or amendments.
*Suitable **universal spare parts** may not be included*

Rel. 2013-11181207

DESCO

Suitable for:

Suitable for:

Clamps

3449468 **HOSE CLAMP 25-40**
for hoses ø 25÷40 mm
made of stainless steel AISI 304
height 12 mm and screw E7

DESCO 61198

Contactors

3351219 **CONTACTOR AEG LS7K 18A 230V 7.5Kw**
coil 230V 50/60Hz
4 normally open contacts
no auxiliary contact

DESCO 31280

Cooking baskets and accessories

3055125 **BLACK KNOB ø 28x86 mm M8x1**
plastic replacement for PASTA COOKER baskets

DESCO R_61361 DESCO 711051

3055142 **FALSE BOTTOM 490x295x85 mm**
made of stainless steel
for old series
for Pasta cooker (DESCO) - Series 900

DESCO CD048 DESCO KCP0260

3055136 **PASTA COOKER BASKET 1/2 242x304x204 mm**
for 20 portions approx
made of stainless steel
for Pasta cooker (DESCO) - Series 1 - Series 2
Series 3

DESCO CD045 DESCO KCP0030 DESCO KCP0170

3055125 **BLACK KNOB ø 28x86 mm M8x1**
plastic replacement for PASTA COOKER baskets

DESCO R_61361 DESCO 711051

DESCO

Suitable for:

3055141 **PASTA COOKER BASKET 1/3 ø 185x204 mm**
for about 8 portions
made of STAINLESS STEEL
for old series
for Pasta cooker (DESCO) - Series 900

DESCO CD050 DESCO KCP0070

Suitable for:

3055125 **BLACK KNOB ø 28x86 mm M8x1**
plastic replacement for PASTA COOKER baskets

DESCO R_61361 DESCO 711051

3055144 **PASTA COOKER BASKET 1/3 150x275x180 mm**
made of stainless steel
for Pasta cooker (ZANUSSI) - Series HD700

DESCO

3055135 **PASTA COOKER BASKET 1/3 160x290x200 mm**
for 13 portions approx
made of STAINLESS STEEL
for Pasta cooker (DESCO) - Series 1 - Series 2
Series 3

DESCO CD044 DESCO KCP0040 DESCO KCP0100

3055125 **BLACK KNOB ø 28x86 mm M8x1**
plastic replacement for PASTA COOKER baskets

DESCO R_61361 DESCO 711051

3055134 **PASTA COOKER BASKET 1/3 165x304x204 mm**
for 13 portions approx
made of stainless steel
for Pasta cooker (DESCO) - Series 7

DESCO CD043

3055125 **BLACK KNOB ø 28x86 mm M8x1**
plastic replacement for PASTA COOKER baskets

DESCO R_61361 DESCO 711051

Suitable for:

Suitable for:

3055140 **PASTA COOKER BASKET 1/6 ø 145x204 mm**

for 4 portions approx
made of stainless steel
for Pasta cooker (DESCO) - Series 700 - Series 900

DESCO CD047 DESCO KCP0080 DESCO R_60989
DESCO 60989

Drain taps and accessories

3356107 **DRAIN TAP ø 1/2"F**

TECO BLOCK safety handle
brass tap body CW617N UNI 12165
polished chrome-plated surface finishing
Hostaform handle with metal core
operating temperature 120°C max
operating pressure 4 bar max
for Bain-marie (DESCO) - Series 700 - Series 900

DESCO 60450

Electric hot plates

3311169 **ELECTRIC HOT PLATE ø 180 mm 1700W 230V**

faston electric connections
complete with energy adjuster
for glass-ceramic cooking top



DESCO 860060

3311100 **ELECTRIC HOT PLATE ø 220 mm 2600W 230V**

terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Hot plate electric (BONNET) B-B7.PE800
for Kitchen electric (FAGOR) CE-741 - CE7-40
for Pot stove electric (FAGOR) CE-720

DESCO 60208

DESCO

Suitable for:

Suitable for:

Electronic thermostats and controllers

3446147 **TIMER EVK701D7E**

power supply 230V 3VA
time range from 1 ds to 99 HOURS and 59 MINUTES
1 exchange relay output 8(3)A 250V
room temperature -5+55°C
buzzer included
connections by screw terminal block
front dimensions 74x32x59 mm
mounting hole 71x29 mm
for Pasta cooker (DESCO) 7MAC2 - 9MAC3

DESCO 35355

Equipment and accessories

3235953 **HEATING ELEMENT FOR PASTA COOKER KIT**

9600W 230V
immersd depth 504x228 mm
mounting hole ø 50 mm
to be mounted on the right side

DESCO 60716

3235907 **KIT FOR ST/STEEL BAIN MARIE**

1x2.5KW 230V 50Hz
dimensions 400x260xh30 mm
for Bain-marie (DESCO) 7BME1P1 - 7BME2AP - 9BME1AP

DESCO 60758

Gas burners

3023271 **BURNER ø 60x390 mm**

overall length 450 mm
made of stainless steel
for Pasta cooker gas (DESCO) CPG1 - CPG2 - CPG3

DESCO 110153

DESCO

Suitable for:

Suitable for:

Gas taps and accessories

3348002 **GAS COCK 22/0**

with pilot flame
with horizontal flange
fittings ø M20x1.5mm
with flow regulator
thermocouple connection M8x1
D-shaped pin ø 10x8 mm
for Boiling pan (THIRODE)
for Bratt pan gas (THIRODE) SA30 - SA41
for Grill (FAGOR) - Series 900

DESCO 180163

DESCO 7060012

3020078 **TUBING NUT FOR 6 mm ø PIPE**

DESCO ID0103

Gas valves and accessories

3526258 **EUROSIT VALVE FOR FRYER 110÷190°C**

with new knob
inlet ø 3/8" F - outlet ø 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb ø 4x200 mm
RoHS certificated
for Fryer gas (ANGELO PO) - Series GAMMA

DESCO 821161

Gaskets for oven door

5034193 **OVEN DOOR GASKET 650x260 mm**

made of silicone elastomer
with fastening clips - 3 sides
profile dimensions 12x10 mm
COLOUR BLACK
for Oven under cooktop electric (DESCO) 7CE4FE
7CE6FEA - 9CE4FE - 9CE6FEA



DESCO 60045

Heating elements

3455295 **MIDDLE HEATING ELEMENT 1800W 230V**
lmgth 315 mm - body ø 30 mm
connection thread ø 48 mm - flange 70x60 mm
with thermostat probe receptacle - with cables
for Pasta cooker electric (DESCO) CPE7

DESCO 241061

3755101 **MIDDLE HEATING ELEMENT 2500W 220V**
immersed length 490 mm - body ø 30 mm
threaded connection ø 47 mm
with thermostat probe receptacle - with cables
for Pasta cooker electric (DESCO) CPE1 - CPE2
CPE7

DESCO EL0029 DESCO DESCO 210060
DESCO 210061

1186655 **O-RING 04131 EPDM**

DESCO ID0087 DESCO R_ID0087

3455294 **SIDE HEATING ELEMENT 1800W 230V**
length 325 mm - body ø 30 mm
fitting thread ø 33 mm - flange 45x50 mm
complete with cables
for Pasta cooker electric (DESCO) CPE7

DESCO 241050

3755102 **SIDE HEATING ELEMENT 2500W 220V**
immersed length 490 mm - body ø 30 mm
threaded connection ø 33 mm - with cables
for Pasta cooker electric (DESCO) CPE1 - CPE2
CPE7

DESCO EL0029 DESCO 210050

1186655 **O-RING 04131 EPDM**

DESCO ID0087 DESCO R_ID0087

Knobs

3444129 **BLACK KNOB ø 50 mm**
D shaft hole 6x4.6 mm
with symbol
for thermostats and timers

DESCO 31051 DESCO 863151

3241719 **BLACK KNOB ø 70 mm 0-8**
D-shaped hole 6x4.6 mm
for Bain-marie (DESCO) BME72 - Series OLD
for Fry top electric (DESCO) - Series OLD

DESCO 803151

3241803 **BLACK-BLUE KNOB ø 75mm SILK-SCREEN PRINT**
D shaft hole 10x8 mm
for Pasta cooker electric (DESCO) 9CPE2

DESCO 60817 DESCO 62317

3241802 **BLACK-RED KNOB ø 75 mm 0-1-2-3**
D shaft hole 6x4.6 mm
for Pasta cooker electric (DESCO) 7CPE1 - 7CPE2
9CPE1 - 9CPE2

DESCO 60806 DESCO 62306

3241804 **BLACK-RED KNOB ø 75 mm 30-90°C**
D shaft hole 6x4.6 mm
for Bain-marie electric (DESCO) 7BME1P - 7BME2P
9BME1P - 9BME2P

DESCO R_62316 DESCO 62316

3241826 **WATER INLET KNOB**
for Pasta cooker gas (DESCO) CPG1/PS

DESCO 115142 DESCO 115143

3241505 **WATER INLET TAP HANDLE**
square hole 7x7 mm
for Pasta cooker electric (DESCO) CPE1 - CPE7
for Pasta cooker gas (DESCO) CPG1 - CPG2 - CPG7

DESCO 110141 DESCO 110141+110142 DESCO 110143

DESCO

Suitable for:

Suitable for:

Lamps

3221199 **GREEN INDICATOR LAMP 250V**
head ø 8 mm - 150°C
wire connection length 300 mm
for Bain-marie (EMMEPI) - Series 650
for Fryer (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900
for Pasta cooker (EMMEPI) - Series 650
Series 700 - Series 750 - Series 900

DESCO 60145

3221162 **GREEN LAMP RECEPTACLE**
head ø 14.5 mm - hole ø 10 mm
for Fry top electric (TECNOINOX) FTC35E - FTC70E
FTL35E - FTL70E - FTR35E - FTR70E
for Fryer electric (TECNOINOX) FR35E - FR70E
for Potato heater electric (TECNOINOX) SP35E

DESCO EL0028 DESCO 60119

3221167 **RED LAMP RECEPTACLE**
head ø 15 mm - hole ø 10 mm

DESCO 60120

3221162 **GREEN LAMP RECEPTACLE**
head ø 14.5 mm - hole ø 10 mm
for Fry top electric (TECNOINOX) FTC35E - FTC70E
FTL35E - FTL70E - FTR35E - FTR70E
for Fryer electric (TECNOINOX) FR35E - FR70E
for Potato heater electric (TECNOINOX) SP35E

DESCO EL0028 DESCO 60119

3221202 **TRANSPARENT INDICATOR LAMP 250V**
head ø 8 mm - 150°C
wire connection length 300 mm

DESCO EL0007 DESCO 61307

3221168 **TRANSPARENT LAMP RECEPTACLE**
head ø 15 mm - hole ø 10 mm

DESCO 60144

Lever ball valves

3526673 **GAS/WATER VALVE ø 1"FF**
ball valve
heavy series with PN 40 total passage
aluminum lever
for Fryer (GIGA) - Series 700 - Series 900
for Pasta cooker (GIGA) - Series 700 - Series 900
for Pasta cooker electric (DESCO) 7CPE1 - 7CPE2
9CPE1 - 9CPE2
for Pasta cooker gas (DESCO) 9CPG1 - 9CPG2

DESCO 61193

3526693 **WATER VALVE ø 1"MF**
ballcock valve
heavy series with PN 40 total passage
aluminium lever
for Bratt pan (ZANUSSI) H900

DESCO 110135

DESCO

Suitable for:

Suitable for:

Microswitches

3240843 **MICROSWITCH V7-3E19E9-263 10A 250V**
for Pasta cooker electric (DESCO) 9CPE2

DESCO R_61599 DESCO 61599

OR and ORM gaskets

5005318 **O-RING 0153 VITON**

DESCO ID0088

Piezo ignitors

3001007 **PIEZO IGNITER**
a ø 22 mm hole is needed for the assembly
2.4 mm ø male faston connector
for Lava rock grill gas (FAGOR)

DESCO 110164

Pilot burners and accessories

3020084 **NUT & OLIVE ø 6 mm**

DESCO ID0097

3020085 **NUT FOR SPARKING PLUG CONNECTION**

DESCO 110163

3020112 **OLIVE FOR 6 mm ø PIPE**

DESCO ID0098

3020043 **PILOT GAS JET ø 0.36 mm**

DESCO 111006

DESCO

Suitable for:

3020040 PILOT JET ø 0.30 mm

DESCO 110160

Suitable for:

3020041 PILOT JET ø 0.41 mm

DESCO 110161

3020288 TARGET TWO-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
for Pasta cooker gas (DESCO) CPG1 - CPG2

DESCO 111003

3020060 ROUND SPARKING PLUG ø 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm

DESCO R_61068

3020200 THERMOCOUPLE NUT

DESCO 110176

3020038 THREE-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included
for Lava rock grill gas (ANGELO PO) - Series SNACK

DESCO 110159

3020040 PILOT JET ø 0.30 mm

DESCO 110160

3020041 PILOT JET ø 0.41 mm

DESCO 110161

3020060 ROUND SPARKING PLUG ø 7x44 mm
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm

DESCO R_61068

Suitable for:

Suitable for:

3020078 **TUBING NUT FOR 6 mm ø PIPE**

DESCO ID0103

Rotary switches

3057014 **SELECTOR SWITCH 0-1 POSITIONS**

contact capacity 16A 250V - max 150°C
D spindle ø 6x4.6 mm
back connection for thermostat

DESCO EL0140

3057216 **SELECTOR SWITCH 0-1 POSITIONS**

contact capacity 16A 230V - max 150°C
D-shaped pin 6x4.6 mm
for Panini grill electric (FB FABA) - Series E
Series S



DESCO 60777

3057098 **SELECTOR SWITCH 0-3 POSITIONS**

contact capacity 16A 250V - max 150°C
D-shaft ø 6x4.6 mm
for Pasta cooker (MODULAR) - Series 600
Series 700 - Series 900
for Pasta cooker electric (DESCO) CPE2 - CPE2-7



DESCO EL0127 DESCO 60773

3057159 **SELECTOR SWITCH 0-3 POSITIONS**

contact capacity 16A 250V - max 150°C
D-shaft ø 6x4.6 mm
for Pasta cooker electric (OFFCAR) - Series 700
Series 900
for Salamander electric (GIORIK) SR512

DESCO EL0114

3057024 **SELECTOR SWITCH 0-7 POSITIONS**

contact capacity 16A 250V - max 150°C
D shaft ø 6x4.6 mm
for Kitchen electric (EMMEPI) - Series 650
Series 700 - Series 750
for Kitchen electric (GICO) - Series 700
for Kitchen electric (GIGA) - Series 600
Series 700 - Series 800 - Series 900
for Kitchen electric (OFFCAR) - Series 700
Series 900
for Kitchen electric (OLIS) 72/02CEPT - 76/02CEPT
for Pot stove electric (OLIS) 72/02TCE - 74/02CEPT
74/02TCE - 76/02TCE - 92/04CE - 92/04TCE
94/04CE - 94/04TCE

DESCO 60452

DESCO

Suitable for:

Suitable for:

Solenoid valves

3120495 **SOLENOID VALVE RPE ø 1/2"MM 230V**

DESCO 34130

Sparking and detection plugs

3001003 **ROUND SPARKING PLUG ø 7x44 mm**
male faston M4x1 mm
total length 65 mm

DESCO R_61602

3020060 **ROUND SPARKING PLUG ø 7x44 mm**
male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm

DESCO R_61068

Switches

3319644 **BLACK TWO-POLE PUSH-BUTTON 16A**
with protection cap
mounting hole 13x20 mm

DESCO 62240

3319012 **GREEN BIPOLAR SWITCH 16A 250V**
with indicator light and switch cover
screen printing 0 - I
max temperature 120°C
mounting hole 22x30 mm

DESCO EL0006

1319202 **GREEN TWO-POLE SWITCH 16A 250V**
with indicator lamp
silk-screen printing 0 - I
temperature max 120°C
mounting hole 22x30 mm
for Hood electric (MORETTI) TIVOLI KAPPA

DESCO 01382

3319372 **RED SINGLE-POLE PUSH-BUTTON 16A 250V**
for IGNITION
with protection cap
mounting hole 13x20 mm
for Bain-marie gas (ANGELO PO) - Series ALPHA
for Fry top gas (ANGELO PO) - Series ALPHA
for Fryer gas (ANGELO PO) - Series ALPHA
for Grill gas (ANGELO PO) - Series ALPHA
for Pasta cooker gas (ANGELO PO) - Series ALPHA
for Pot stove gas (ANGELO PO) - Series ALPHA

DESCO 61286

DESCO

Suitable for:

Suitable for:

Taps for boiling pans

3183040 **SPOUT ø 3/8"M**

for Pasta cooker electric (DESCO) 7CPE1 - 7CPE2
9CPE1 - 9CPE2
for Pasta cooker gas (DESCO) 7CPG1 - 9CPG1

DESCO 110035 DESCO 60166 DESCO 62709

Thermocouples and accessories

3440019 **THERMOCOUPLE EXTENSION M9x1 60 cm.**

female nut M9x1

DESCO R_61604

3440039 **THERMOCOUPLE SIT M9x1 150 cm**

DESCO R_61061

3440839 **THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**

DESCO R_61061

3440839 **THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**

DESCO R_61061

3440849 **THERMOCOUPLE SIT M9x1 75 cm - 10 PCS**

DESCO R_61060

3440049 **THERMOCOUPLE SIT M9X1 75 cm**

DESCO R_61060

3440849 **THERMOCOUPLE SIT M9x1 75 cm - 10 PCS**

DESCO R_61060

DESCO

Suitable for:

Suitable for:

Thermostats

3444233 **SINGLE-PHASE THERMOSTAT 100-190°C**

D-shaped pin ø 6x4.6 mm
covered capillary length 1750 mm - 16A 250V
bulb ø 6x133 mm - with adapter nipple bland M9x1
for Fryer (GIGA) - Series 700 - Series 900

DESCO 60775

3744045 **SINGLE-PHASE THERMOSTAT 30-90°C**

D-shaped pin ø 6x4.6 mm
covered capillary length 900 mm
bulb ø 6x130 mm
for Bain-marie (GICO) - Series 110 - Series 39
Series 500 - Series 64 - Series 700 - Series 900
Series 920
for Hot cupboard (GICO) - Series 370 - Series 96
for Potato heater (GICO) - Series 64 - Series 700
for Self service counter (GICO) - Series 39

DESCO EL0125

3444479 **THREE-PHASE THERMOSTAT 120°C**

with manual reset
covered capillary length 900 mm - 10A 400V
bulb ø 6x100 mm
for Pasta cooker electric (DESCO) CPE1 - CPE2
CPE2-7 - CPE7

DESCO 210044

3444067 **THREE-PHASE THERMOSTAT 30-90°C**

D-shaped pin ø 6x4.6 mm
capillary length 1000 mm - 10A 400V
bulb ø 6x130 mm
for Hot cupboard (ANGELO PO)
for Hot cupboard (MARENO)
for Hot cupboard (ZANUSSI)

DESCO 864169

3444364 **THREE-PHASE THERMOSTAT 30-90°C**

D-shaped pin ø 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb ø 6x135 mm - with adapter nipple band M10x1
for Bain-marie (DESCO)
for Bain-marie electric (LOTUS) BM-10EMX - BM-4EMX
BM-6EMX - BM-62ET - BM-8EMX - BS-4EMX
for Bain-marie electric (MARENO) B7-4E - B7-8E
B9-4E - B9-8E

DESCO 60781

Water filling taps

3358009 **WATER INLET TAP ø 1/2"FF**
for Pasta cooker electric (DESCO) CPE1 - CPE2
for Pasta cooker gas (DESCO)
since 1/03/02
CPG1 - CPG1/PS - CPG2 - CPG3 - CPG7/1 - CPG7/2

DESCO ID0064 DESCO 115120 DESCO 115120+ID0064+
DESCO 115141

3241826 **WATER INLET KNOB**
for Pasta cooker gas (DESCO) CPG1/PS

DESCO 115142 DESCO 115143

3358003 **WATER INLET TAP ø 1/2"MM**
square shaft 7x7 mm
for Pasta cooker (ZANUSSI) - Series H900
for Pasta cooker electric (DESCO) CPE1 - CPE2
for Pasta cooker gas (DESCO)
till 31/12/01
CPG1 - CPG1/PS - CPG2 - CPG3 - CPG7/1 - CPG7/2

DESCO 110120

3525052 **WATER INLET TAP DX ø 1/2"FF**
D-shaft ø 10x8 mm
for Pasta cooker electric (DESCO) 7CPE2 - 9CPE2

DESCO 60903

3525053 **WATER INLET TAP LH ø 1/2"FF**
D shaft 10x8 mm
for Pasta cooker electric (DESCO) 7CPE1 - 7CPE2
9CPE1 - 9CPE2
for Pasta cooker gas (DESCO) 7CPG1 - 9CPG1

DESCO 60902

Water tight seals and rings

3786455 **SCRAPER RING ø 20x28x6,5 mm**
for Bain-marie electric (DESCO) BME70 - BME90

DESCO 61605